



GE LED

PRODUCT CATALOGUE

This collection features a range of new and innovative LED products designed specifically to meet the needs of the Australian & New Zealand market.

For further information please contact your local office.

514 Bridge Rd, Richmond VIC 3121
(03) 9009 9657

sales@massonforlight.com.au

CONTENTS

Contents

CONTENTS.....	3
Bright Stik	4-6
GLS.....	7-18
G95.....	19-20
G125.....	21
Pilot.....	22-27
Candle	28-32
Fancy Round	33-34
LED Glass GU10 Bulb.....	35-38
MR16	39-42
Reflector	43-45
PAR38.....	46
T8 Tube	47-49
Flush Mount.....	50-53
Downlights.....	54-55



LED Bright Stik Gen 2



The LED Bright Stik instantly illuminates a space. Its unique cylindrical shape is designed to make this a versatile all purpose bulb.

Using the latest in LED technology, Bright Stik is a perfect lower energy, longer life & cost effective solution to replace halogen & CFL globes.

RANGE SUMMARY

GE LED BRIGHT STIK GEN2 7W SES 2700K 550LM 15,000HRS

GE LED BRIGHT STIK GEN2 7W SES 4000K 600LM 15,000HRS

SKU	G12082L	G12083L
VOLTAGE	240V	240V
WATTAGE (MAX)	7W	7W
SOCKET TYPE	E14	E14
BEAM ANGLE	240 degrees	240 degrees
BRIGHTNESS/ LUMENS	550	600
LIGHT APPEARANCE	2700K Warm White	4000K Cool White
EFFICACY (LM/W)	79	88
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE Y/N	N	N



LED Bright Stik Gen 2



BC & ES
AVAILABLE



The LED Bright Stik instantly illuminates a space. Its unique cylindrical shape is designed to make this a versatile all purpose globe.

Using the latest in LED technology, Bright Stik is a perfect lower energy, longer life & cost effective solution to replace halogen & CFL globes.

RANGE SUMMARY

GE LED BRIGHT STIK GEN2 6W ES 2700K 470LM 15,000HRS
GE LED BRIGHT STIK GEN2 6W ES 4000K 470LM 15,000HRS
GE LED BRIGHT STIK GEN2 6W BC 2700K 470LM 15,000HRS
GE LED BRIGHT STIK GEN2 6W BC 4000K 470LM 15,000HRS

SKU	G74490	G74529	G74538	G74541
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	6W	6W	6W	6W
SOCKET TYPE	ES	ES	BC	BC
BEAM ANGLE	240 degrees	240 degrees	240 degrees	240 degrees
BRIGHTNESS/ LUMENS	470	470	470	470
LIGHT APPEARANCE	2700K Warm White	4000K Cool White	2700K Warm White	4000K Cool White
EFFICACY (LM/W)	78	78	78	78
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	No	No	No	No



LED Bright Stik Gen 2



BC & ES
AVAILABLE



The LED Bright Stik instantly illuminates a space. Its unique cylindrical shape is designed to make this a versatile all purpose globe.

Using the latest in LED technology, Bright Stik is a perfect lower energy, longer life & cost effective solution to replace halogen & CFL globes.

RANGE SUMMARY

GE LED BRIGHT STIK GEN2 10W ES 2700K 780LM 15,000HRS
GE LED BRIGHT STIK GEN2 10W ES 4000K 810LM 15,000HRS
GE LED BRIGHT STIK GEN2 10W BC 2700K 780LM 15,000HRS
GE LED BRIGHT STIK GEN2 10W BC 4000K 810LM 15,000HRS

SKU	G74553	G74554	G74559	G74562
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	10W	10W	10W	10W
SOCKET TYPE	ES	ES	BC	BC
BEAM ANGLE	240 degrees	240 degrees	240 degrees	240 degrees
BRIGHTNESS/ LUMENS	780	810	780	810
LIGHT APPEARANCE	2700K Warm White	4000K Cool White	2700K Warm White	4000K Cool White
EFFICACY (LM/W)	78	81	78	81
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	No	No	No	No



LED Heritage GLS Bulb



BC & ES
AVAILABLE

The LED heritage GLS bulb is an ideal replacement for traditional incandescent filament bulbs.

With a beautiful warm colour temperature and 250 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 1.9W LED heritage GLS bulb will last up to 15 times longer than 25W vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE GLS 1.9W ES 2700K 250LM 15,000HRS

GE LED BULB HERITAGE GLS 1.9W BC 2700K 250LM 15,000HRS

SKU	G12016L	G12017L
VOLTAGE	240V	240V
WATTAGE (MAX)	1.9W	1.9W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	250	250
LIGHT APPEARANCE	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	132	132
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Heritage GLS Bulb



BC & ES
AVAILABLE

The LED heritage GLS bulb is an ideal replacement for traditional incandescent filament bulbs.

With a beautiful warm colour temperature and 470 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 3.7W LED heritage GLS bulb will last up to 15 times longer than vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BRIGHT STIK GEN2 6W ES 2700K 470LM 15,000HRS

GE LED BRIGHT STIK GEN2 6W ES 4000K 470LM 15,000HRS

SKU	G12018L	G12019L
VOLTAGE	240V	240V
WATTAGE (MAX)	3.7W	3.7W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	470	470
LIGHT APPEARANCE	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	127	127
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Heritage GLS Bulb



BC & ES
AVAILABLE

The LED heritage GLS bulb is an ideal replacement for traditional incandescent filament bulbs.

With a beautiful warm colour temperature, 806 lumen output and dimmable option it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 6W LED heritage GLS bulb will last up to 15 times longer than vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE GLS 6W ES 2700K 806LM 15,000HRS

GE LED BULB HERITAGE GLS 6W BC 2700K 806LM 15,000HRS

SKU	G12020L	G12021L
VOLTAGE	240V	240V
WATTAGE (MAX)	6W	6W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	806	806
LIGHT APPEARANCE	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	134	134
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Glass GLS Bulb



The 2W LED Glass GLS bulb is an ideal replacement for traditional halogen GLS bulbs.

A standard A60 globe shape it is perfect for any fixture that uses traditional bulbs. Available in warm white and rated at 10,000 hours the 2W LED Glass GLS bulb will last up to 5 times longer than 20W halogen equivalents.

RANGE SUMMARY

GE LED BULB GLS 2W BC 2700K 210LM 10,000HRS

GE LED BULB GLS 2W ES 2700K 210LM 10,000HRS

SKU	G12020L	G12021L
VOLTAGE	240V	240V
WATTAGE (MAX)	2W	2W
SOCKET TYPE	BC	ES
BEAM ANGLE	285 degrees	285 degrees
BRIGHTNESS/ LUMENS	210	210
LIGHT APPEARANCE	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	105	105
CRI	>80	>80
AVERAGE RATED LIFE	10,000 hours	10,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE Y/N	N	N



LED GLS Bulb



BC & ES
AVAILABLE

The 5.5W LED GLS bulb is an ideal replacement for traditional halogen GLS bulbs.

A standard A60 globe shape, it is perfect for any fixture that uses traditional bulbs. Available in warm and cool white colour temperatures and rated at 15,000 hours, the 5.5W LED GLS bulb will last up to 7 times longer than 28W halogen equivalents.

RANGE SUMMARY

GE LED BULB GLS 5.5W BC 2700K 470LM 15,000HRS

GE LED BULB GLS 5.5W ES 2700K 470LM 15,000HRS

GE LED BULB GLS 5.5W BC 4000K 490LM 15,000HRS

GE LED BULB GLS 5.5W ES 4000K 490LM 15,000HRS

SKU	G12061L	G12062L	G12063L	G12064L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	5.5W	5.5W	5.5W	5.5W
SOCKET TYPE	BC	ES	BC	ES
BEAM ANGLE	-	-	-	-
BRIGHTNESS/ LUMENS	470	470	490	490
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	4000K Cool White	4000K Cool White
EFFICACY (LM/W)	85	85	89	89
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	No	No	No	No



LED Glass GLS Bulb



The 8W LED Glass GLS bulb is an ideal replacement for traditional halogen GLS bulbs.

A standard A60 globe shape, it is perfect for any fixture that uses traditional bulbs. Available in warm and cool white colour temperatures and rated at 10,000 hours, the 8W glass LED GLS bulb will last up to 5 times longer than 53W halogen equivalents.

RANGE SUMMARY

GE LED BULB GLS 8W FROST BC 2700K 810LM 10,000HRS
GE LED BULB GLS 8W FROST ES 2700K 810LM 10,000HRS
GE LED BULB GLS 8W FROST BC 4000K 810LM 10,000HRS
GE LED BULB GLS 8W FROST ES 4000K 810LM 10,000HRS

SKU	G12094L	G12095L	G12096L	G12097L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	8W	8W	8W	8W
SOCKET TYPE	BC	ES	BC	ES
BEAM ANGLE	290 degrees	290 degrees	290 degrees	290 degrees
BRIGHTNESS/ LUMENS	810	810	810	810
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	4000K Cool White	4000K Cool White
EFFICACY (LM/W)	101	101	101	101
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	10,000 hours	10,000 hours	10,000 hours	10,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE Y/N	N	N	N	N



LED GLS Bulb

8.8
WATT

LIMITED WARRANTY
3
YEAR



BC & ES
AVAILABLE

The 8.8W LED GLS bulb is an ideal replacement for traditional halogen GLS bulbs.

A standard A60 globe shape, it is perfect for any fixture that uses traditional bulbs. Available in warm and cool white colour temperatures and rated at 15,000 hours, the 8.8W LED GLS bulb will last up to 7 times longer than 53W halogen equivalents.

RANGE SUMMARY

GE LED BULB GLS 8.8W BC 2700K 806LM 15,000HRS
GE LED BULB GLS 8.8W ES 2700K 806LM 15,000HRS
GE LED BULB GLS 8.8W BC 4000K 820LM 15,000HRS
GE LED BULB GLS 8.8W ES 4000K 820LM 15,000HRS

SKU	G12065L	G12066L	G12067L	G12068L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	8.8W	8.8W	8.8W	8.8W
SOCKET TYPE	BC	ES	BC	ES
BEAM ANGLE	-	-	-	-
BRIGHTNESS/ LUMENS	806	806	820	820
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	4000K Cool White	4000K Cool White
EFFICACY (LM/W)	91	91	93	93
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	No	No	No	No



Dimmable LED GLS Bulb

**8.5
WATT**

LIMITED WARRANTY
3
YEAR



The LED dimmable GLS bulb is an ideal replacement for traditional bulbs.

A standard A60 globe shape, it is perfect for any fixture that used traditional bulbs. Available in warm and cool white colour temperatures and rated 15,000 hours, the LED GLS will last 7 times longer than 53W halogen equivalents.

RANGE SUMMARY

GE LED GLS BULB 8.5W BC DIM 2700K WARM WHITE 806LM 15,000HRS
GE LED GLS BULB 8.5W ES DIM 2700K WARM WHITE 806LM 15,000HRS
GE LED GLS BULB 8.5W BC DIM 4000K COOL WHITE 850LM 15,000HRS
GE LED GLS BULB 8.5W ES DIM 4000K COOL WHITE 850LM 15,000HRS

SKU	G11629L	G11630L	G11631L	G11632L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	8.5W	8.5W	8.5W	8.5W
SOCKET TYPE	BC	ES	BC	ES
BEAM ANGLE	240 degrees	240 degrees	240 degrees	240 degrees
BRIGHTNESS/ LUMENS	806	806	850	850
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	4000K Cool White	4000K Cool White
EFFICACY (LM/W)	94	94	100	100
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	Yes	Yes	Yes	Yes



Colour Shift GLS Bulb

8.6
WATT



The 8.6W LED Colour Shift-X3 GLS bulb allows the user to enjoy 3 colour temperatures in one LED bulb, making it suitable for different stages throughout the day.

Wake up with daylight for mornings, shift to cool white for the middle of the day and relax with warm white in the evenings. Shifting colours can be done with the flick of a switch. Starting with warm white, turn off and on for daylight, and turn off and on again for cool white. Rated 15,000 hours, the 8.6W LED bulb will last 7 times longer than 53W halogen equivalents.

RANGE SUMMARY

GE LED BULB COLOUR SHIFT-X3
GLS 8.6W ES 27/65/4000K 806LM 25,000HRS

SKU	G12078L
VOLTAGE	240V
WATTAGE (MAX)W	8.5W
SOCKET TYPE	BC
BEAM ANGLE	240 degrees
BRIGHTNESS/ LUMENS	806
LIGHT APPEARANCE	2700K Warm White
EFFICACY (LM/W)	94
CRI	>80
AVERAGE RATED LIFE	15,000 hours
WARRANTY	3 years from date of purchase
PRODUCT TYPE	Bulb
DIMMABLE	No



LED GLS Bulb

**10.5
WATT**

LIMITED WARRANTY
3
YEAR



BC & ES
AVAILABLE

The 10.5W LED GLS bulb is an ideal replacement for traditional halogen GLS bulbs.

A standard A60 globe shape, it is perfect for any fixture that uses traditional bulbs. Available in warm and cool white colour temperatures and rated at 15,000 hours, the 10.5W LED GLS bulb will last up to 7 times longer than 70W halogen equivalents.

RANGE SUMMARY

GE LED BULB GLS 10.5W BC 2700K 1060LM 15,000HRS
GE LED BULB GLS 10.5W ES 2700K 1060LM 15,000HRS
GE LED BULB GLS 10.5W BC 4000K 1100LM 15,000HRS
GE LED BULB GLS 10.5W ES 4000K 1100LM 15,000HRS

SKU	G12069L	G12070L	G12071L	G12072L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	10.5W	10.5W	10.5W	10.5W
SOCKET TYPE	BC	ES	BC	ES
BEAM ANGLE	-	-	-	-
BRIGHTNESS/ LUMENS	1060	1060	1100	1100
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	4000K Cool White	4000K Cool White
EFFICACY (LM/W)	100	100	105	105
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	No	No	No	No



Dimmable LED GLS Bulb



The 12W LED dimmable GLS bulb is an ideal replacement for traditional halogen GLS bulbs.

A standard A60 globe shape is perfect for any fixture that uses traditional bulbs. Available in warm and cool white colour temperatures and rated at 15,000 hours, the 12W LED dimmable GLS bulb will last up to 7 times longer than 70W halogen equivalents.

RANGE SUMMARY

GE LED BULB GLS 12W BC DIM 2700K 1060LM 15,000HRS
GE LED BULB GLS 12W ES DIM 2700K 1060LM 15,000HRS
GE LED BULB GLS 12W BC DIM 4000K 1100LM 15,000HRS
GE LED BULB GLS 12W ES DIM 4000K 1100LM 15,000HRS

SKU	G11633L	G11634L	G11635L	G11636L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	12W	12W	12W	12W
SOCKET TYPE	BC	ES	BC	ES
BEAM ANGLE	-	-	-	-
BRIGHTNESS/ LUMENS	1060	1060	1100	1100
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	4000K Cool White	4000K Cool White
EFFICACY (LM/W)	88	88	91	91
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	Yes	Yes	Yes	Yes



LED GLS Bulb



BC & ES
AVAILABLE

The 14.5W LED GLS bulb is an ideal replacement for traditional halogen GLS bulbs.

A standard A60 globe shape, it is perfect for any fixture that uses traditional bulbs. Available in warm and cool white colour temperatures and rated at 15,000 hours, the 14.5W LED GLS bulb will last up to 7 times longer than 100W halogen equivalents.

RANGE SUMMARY

GE LED BULB GLS 14.5W BC 2700K 1521LM 15,000HRS
GE LED BULB GLS 14.5W ES 2700K 1521LM 15,000HRS
GE LED BULB GLS 14.5W BC 4000K 1600LM 15,000HRS
GE LED BULB GLS 14.5W ES 4000K 1600LM 15,000HRS

SKU	G12073L	G12074L	G12075L	G12076L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	12W	12W	12W	12W
SOCKET TYPE	BC	ES	BC	ES
BEAM ANGLE	-	-	-	-
BRIGHTNESS/ LUMENS	1521	1521	1600	1600
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	4000K Cool White	4000K Cool White
EFFICACY (LM/W)	88	88	91	91
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	No	No	No	No



LED Heritage G95 Bulb



BC & ES
AVAILABLE

The LED heritage G95 spherical bulb is an ideal replacement for traditional incandescent light bulbs.

With a beautiful warm colour temperature and 420 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 3.7W LED heritage G95 bulb will last up to 15 times longer than vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE G95 3.7W ES 2200K 420LM 15,000HRS

GE LED BULB HERITAGE G95 3.7W BC 2200K 420LM 15,000HRS

SKU	G12024L	G12025L
VOLTAGE	240V	240V
WATTAGE (MAX)	3.7W	3.7W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	420	420
LIGHT APPEARANCE	2200K Warm White	2200K Warm White
EFFICACY (LM/W)	114	114
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



Dimmable LED Heritage G95 Bulb



BC & ES
AVAILABLE

DIMMABLE

The dimmable LED heritage G95 bulb is an ideal replacement for traditional incandescent light bulbs.

With a beautiful warm colour temperature, dimming capability and 640 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 6W LED heritage G95 bulb will last up to 15 times longer than vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE G95 6W ES DIM 2200K 640LM 15,000HRS

GE LED BULB HERITAGE G95 6W BC DIM 2200K 640LM 15,000HRS

SKU	G12026L	G12027L
VOLTAGE	240V	240V
WATTAGE (MAX)	6W	6W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	640	640
LIGHT APPEARANCE	2200K Warm White	2200K Warm White
EFFICACY (LM/W)	107	107
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	Yes	Yes



LED Heritage G125 Bulb



BC & ES
AVAILABLE

The LED heritage G125 spherical bulb is an ideal replacement for traditional incandescent light bulbs.

With a beautiful warm colour temperature and 420 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 3.7W LED heritage G125 bulb will last up to 15 times longer than vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE G125 3.7W ES 2200K 420LM 15,000HRS

GE LED BULB HERITAGE G125 3.7W BC 2200K 420LM 15,000HRS

SKU	G12028L	G12029L
VOLTAGE	240V	240V
WATTAGE (MAX)	3.7W	3.7W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	420	420
LIGHT APPEARANCE	2200K Warm White	2200K Warm White
EFFICACY (LM/W)	114	114
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Heritage Pilot



BC & ES
AVAILABLE

The LED heritage pilot bulb is an ideal replacement for traditional incandescent filament bulbs.

With a beautiful warm colour temperature and 200 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 1.9W LED heritage pilot bulb will last up to 15 times longer than 25W filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE PILOT 1.9W ES 2200K 200LM 15,000HRS

GE LED BULB HERITAGE PILOT 1.9W BC 2200K 200LM 15,000HRS

SKU	G12010L	G12011L
VOLTAGE	240V	240V
WATTAGE (MAX)	1.9W	1.9W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	200	200
LIGHT APPEARANCE	2200K Warm White	2200K Warm White
EFFICACY (LM/W)	105	105
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Amber Heritage Pilot

1.9
WATT

LIMITED WARRANTY
3
YEAR



BC & ES
AVAILABLE

The LED heritage pilot bulb is an ideal replacement for traditional incandescent filament bulbs.

With a beautiful warm colour temperature, amber glass and 180 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 1.9W LED heritage pilot bulb will last up to 15 times longer than 25W vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE PILOT 1.9W ES 2000K AMBER 180LM 15,000HRS

GE LED BULB HERITAGE PILOT 1.9W BC 2000K AMBER 180LM 15,000HRS

SKU	G12004L	G12005L
VOLTAGE	240V	240V
WATTAGE (MAX)	1.9W	1.9W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	180	180
LIGHT APPEARANCE	2000K Warm White	2000K Warm White
EFFICACY (LM/W)	95	95
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Amber Heritage Pilot



BC & ES
AVAILABLE

The LED heritage pilot bulb is an ideal replacement for traditional incandescent filament bulbs.

With a beautiful warm colour temperature and 420 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 3.7W LED heritage pilot bulb will last up to 15 times longer than vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE PILOT 3.7W ES 2200K 420LM 15,000HRS

GE LED BULB HERITAGE PILOT 3.7W BC 2200K 420LM 15,000HRS

SKU	G12012L	G12013L
VOLTAGE	240V	240V
WATTAGE (MAX)	3.7W	3.7W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	420	420
LIGHT APPEARANCE	2200K Warm White	2200K Warm White
EFFICACY (LM/W)	114	114
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Amber Heritage e



BC & ES
AVAILABLE



The LED heritage pilot bulb is an ideal replacement for traditional incandescent filament bulbs.

With a beautiful warm colour temperature, amber glass and 360 lumen output it is perfect for decorative pendants and lamps where the globe is a visible feature of the fitting. Rated at 15,000 hours, the 3.7W LED heritage pilot globe will last up to 15 times longer than 25W vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE PILOT 3.7W ES 2000K AMBER 360LM 15,000HRS

GE LED BULB HERITAGE PILOT 3.7W BC 2000K AMBER 360LM 15,000HRS

SKU	G12006L	G12007L
VOLTAGE	240V	240V
WATTAGE (MAX)	3.7W	3.7W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	360	360
LIGHT APPEARANCE	2000K Warm White	2000K Warm White
EFFICACY (LM/W)	97	97
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



Dimmable LED Heritage Pilot



The dimmable LED heritage pilot bulb is an ideal replacement for traditional incandescent carbon filament bulbs.

With a beautiful warm colour temperature, dimming capability and 640 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 6W LED heritage pilot bulb will last up to 15 times longer than vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE PILOT 6W ES DIM 2200K 640LM 15,000HRS

GE LED BULB HERITAGE PILOT 6W BC DIM 2200K 640LM 15,000HRS

SKU	G12014L	G12015L
VOLTAGE	240V	240V
WATTAGE (MAX)	6W	6W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	640	640
LIGHT APPEARANCE	2200K Warm White	2200K Warm White
EFFICACY (LM/W)	107	107
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	Yes	Yes



Dimmable LED Amber Heritage Pilot



BC & ES
AVAILABLE

DIMMABLE

The dimmable LED heritage pilot bulb is an ideal replacement for traditional incandescent filament bulbs.

With a beautiful warm colour temperature, amber glass, dimming capability and 580 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 6W LED heritage pilot bulb will last up to 15 times longer than vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE PILOT 6W ES DIM 2000K AMBER 580LM 15,000HRS

GE LED BULB HERITAGE PILOT 6W BC DIM 2000K AMBER 580LM 15,000HRS

SKU	G12008L	G12009L
VOLTAGE	240V	240V
WATTAGE (MAX)	6W	6W
SOCKET TYPE	ES	BC
BEAM ANGLE	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	580	580
LIGHT APPEARANCE	2000K Warm White	2000K Warm White
EFFICACY (LM/W)	97	97
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	Yes	Yes



LED Heritage Candle



SBC, BC,
SES & ES
AVAILABLE

The LED heritage candle bulb is the ideal replacement for traditional incandescent light bulbs.

With a beautiful warm colour temperature and 250 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 1.9W heritage candle bulb will last up to 15 times longer than 25W vintage filament incandescent equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE CANDLE 1.9W SES 2700K 250LM 15,000HRS
GE LED BULB HERITAGE CANDLE 1.9W SBC 2700K 250LM 15,000HRS
GE LED BULB HERITAGE CANDLE 1.9W ES 2700K 250LM 15,000HRS
GE LED BULB HERITAGE CANDLE 1.9W BC 2700K 250LM 15,000HRS

SKU	G12030L	G12031L	G12032L	G12033L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	1.9W	1.9W	1.9W	1.9W
SOCKET TYPE	SES	SBC	ES	BC
BEAM ANGLE	300 degrees	300 degrees	300 degrees	300 degrees
BRIGHTNESS/ LUMENS	250	250	250	250
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	132	132	132	132
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	No	No	No	No



LED Heritage Candle



SES & SBC
AVAILABLE



The LED heritage candle bulb is the ideal replacement for traditional halogen light bulbs.

With a beautiful warm colour temperature and 470 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 3.3W heritage candle bulb will last up to 7 times longer than 28W halogen equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE CANDLE 3.3W SES 2700K 470LM 15,000HRS

GE LED BULB HERITAGE CANDLE 3.3W SBC 2700K 470LM 15,000HRS

SKU	G11599L	G11600L
VOLTAGE	240V	240V
WATTAGE (MAX)	3.3W	3.3W
SOCKET TYPE	SES	SBC
BEAM ANGLE	-	-
BRIGHTNESS/ LUMENS	470	470
LIGHT APPEARANCE	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	142	142
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Heritage Candle



BC & ES
AVAILABLE

The LED heritage candle bulb is the ideal replacement for traditional halogen light bulbs.

With a beautiful warm colour temperature and 470 lumen output it is perfect for decorative pendants and lamps where the bulb is a visible feature of the fitting. Rated at 15,000 hours, the 3.6W heritage candle bulb will last up to 7 times longer than 28W halogen equivalents.

RANGE SUMMARY

GE LED BULB HERITAGE CANDLE 3.6W ES 2700K 470LM 15,000HRS

GE LED BULB HERITAGE CANDLE 3.6W BC 2700K 470LM 15,000HRS

SKU	G11601L	G11602L
VOLTAGE	240V	240V
WATTAGE (MAX)	3.6W	3.6W
SOCKET TYPE	ES	BC
BEAM ANGLE	-	-
BRIGHTNESS/ LUMENS	470	470
LIGHT APPEARANCE	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	131	131
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Candle Bulb

3.4
WATT

LIMITED WARRANTY
3
YEAR

SBC, BC,
SES & ES
AVAILABLE



The LED opal candle bulb is the perfect replacement for traditional halogen and incandescent bulbs.

With a rated life of 15,000 hours, the LED opal candle bulb will last up to 7 times longer than a 20W halogen equivalents.

RANGE SUMMARY

GE LED CANDLE BULB 3.4W SBC 2700K WARM WHT OPAL 250LM 15,000HRS
GE LED CANDLE BULB 3.4W SES 2700K WARM WHT OPAL 250LM 15,000HRS
GE LED CANDLE BULB 3.4W BC 2700K WARM WHT OPAL 250LM 15,000HRS
GE LED CANDLE BULB 3.4W ES 2700K WARM WHT OPAL 250LM 15,000HRS

SKU	G11603L	G11604L	G11605L	G11606L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	3.4W	3.4W	3.4W	3.4W
SOCKET TYPE	SBC	SES	BC	ES
BEAM ANGLE	280 degrees	280 degrees	280 degrees	280 degrees
BRIGHTNESS/ LUMENS	250	250	250	250
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	74	74	74	74
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	No	No	No	No



Dimmable LED Candle Bulb



The dimmable 6.2W LED clear candle bulb is the perfect replacement for traditional halogen and incandescent bulbs.

With dimming capability and a rated life of 15,000 hours, the 6W LED clear candle bulb will last up to 7 times longer than 28W halogen equivalents.

RANGE SUMMARY	
GE LED CANDLE BULB 6W SBC DIM 2700K WARM WHT CLR 470LM 15,000HRS	
GE LED CANDLE BULB 6W SES DIM 2700K WARM WHT CLR 470LM 15,000HRS	
GE LED CANDLE BULB 6W BC DIM 2700K WARM WHT CLR 470LM 15,000HRS	
GE LED CANDLE BULB 6W ES DIM 2700K WARM WHT CLR 470LM 15,000HRS	

SKU	G11607L	G11608L	G11609L	G11610L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	6W	6W	6W	6W
SOCKET TYPE	SBC	SES	BC	ES
BEAM ANGLE	230 degrees	230 degrees	230 degrees	230 degrees
BRIGHTNESS/ LUMENS	470	470	470	470
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	78	78	78	78
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	Yes	Yes	Yes	Yes



LED Fancy Round Bulb



SBC, BC,
SES & ES
AVAILABLE

The LED fancy round bulb is an ideal replacement for traditional halogen and incandescent light bulbs.

The classic, small round shape is perfect for use in pendants and lamps. With a beautiful warm colour temperature and 250 lumen output, the bulb is great for any low-light application. Rated at 15,000 hours, the LED fancy round bulb will last up to 7 times longer than 20W halogen equivalents.

RANGE SUMMARY

GE LED FANCY ROUND BULB 3.4W SBC 2700K WARM WHITE CLEAR 250LM 15,000HRS
GE LED FANCY ROUND BULB 3.4W SES 2700K WARM WHITE CLEAR 250LM 15,000HRS
GE LED FANCY ROUND BULB 3.4W BC 2700K WARM WHITE CLEAR 250LM 15,000HRS
GE LED FANCY ROUND BULB 3.4W ES 2700K WARM WHITE CLEAR 250LM 15,000HRS

SKU	G11611L	G11612L	G11613L	G11614L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	3.4W	3.4W	3.4W	3.4W
SOCKET TYPE	SBC	SES	BC	ES
BEAM ANGLE	210 degrees	210 degrees	210 degrees	210 degrees
BRIGHTNESS/ LUMENS	250	250	250	250
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	74	74	74	74
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	No	No	No	No



Dimmable LED Fancy Round Bulb

6.2
WATT



The dimmable 6.2W LED fancy round bulb is the perfect replacement for traditional halogen and incandescent light bulbs.

With its classic small round shape, beautiful warm colour temperature, dimming capability and 470 lumen light output, it is perfect for low light applications. Rated at 15,000 hours, the LED fancy round bulb will last up to 7 times longer than 28W halogen equivalents.

RANGE SUMMARY

GE LED FANCY ROUND BULB 6.2W SBC DIM 2700K WARM WHT OPAL 470LM 15,000HRS
GE LED FANCY ROUND BULB 6.2W SES DIM 2700K WARM WHT OPAL 470LM 15,000HRS
GE LED FANCY ROUND BULB 6.2W BC DIM 2700K WARM WHT OPAL 470LM 15,000HRS
GE LED FANCY ROUND BULB 6.2W ES DIM 2700K WARM WHT OPAL 470LM 15,000HRS

SKU	G11615L	G11616L	G11617L	G11618L
VOLTAGE	240V	240V	240V	240V
WATTAGE (MAX)	6.2W	6.2W	6.2W	6.2W
SOCKET TYPE	SBC	SES	BC	ES
BEAM ANGLE	160 degrees	160 degrees	160 degrees	160 degrees
BRIGHTNESS/ LUMENS	470	470	470	470
LIGHT APPEARANCE	2700K Warm White	2700K Warm White	2700K Warm White	2700K Warm White
EFFICACY (LM/W)	76	76	76	76
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb	Bulb	Bulb
DIMMABLE	Yes	Yes	Yes	Yes



LED Glass GU10 Bulb



The LED glass GU10 bulb is an ideal replacement for traditional halogen GU10 bulbs.

With improved lamp life, the GU10 is a great way to reduce both energy consumption and maintenance. Available in warm and cool white colour temperatures and with a standard beam angle and high lumens, it is ideal for use in traditional GU10 downlights and spotlights. Rated 25,000 hours, the LED GU10 will last 12 times longer than 28W halogen equivalents.

RANGE SUMMARY

GE LED GLASS GU10 BULB 4W 3000K WARM WHT 36DEG 400LM 25,000hrs

GE LED GLASS GU10 BULB 4W 4000K COOL WHT 36DEG 420LM 25,000hrs

SKU	G11623L	G11624L
VOLTAGE	240V	240V
WATTAGE (MAX)	4W	4W
SOCKET TYPE	GU10	GU10
BEAM ANGLE	36 degrees	36 degrees
BRIGHTNESS/ LUMENS	400	420
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	100	105
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED GU10 Bulb



The LED GU10 bulb is an ideal replacement for traditional halogen GU10 bulbs.

With improved lamp life, the GU10 is a great way to reduce both energy consumption and maintenance. Available in warm and cool white colour temperatures and with a wide beam angle and high lumens, it is ideal for use in traditional GU10 downlights and spotlights. Rated 15,000 hours, the LED GU10 will last 7 times longer than 28W halogen equivalents.

RANGE SUMMARY

GE LED GU10 BULB 5W 3000K WARM WHITE 60DEG 380LM 15,000HRS

GE LED GU10 BULB 5W 4000K COOL WHITE 60DEG 400LM 15,000HRS

SKU	G11621L	G11622L
VOLTAGE	240V	240V
WATTAGE (MAX)	5W	5W
SOCKET TYPE	GU10	GU10
BEAM ANGLE	60 degrees	60 degrees
BRIGHTNESS/ LUMENS	380	400
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	76	80
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED GU10 Bulb



The 6.3W LED GU10 bulb is an ideal replacement for traditional halogen GU10 bulbs.

With improved lamp life, the GU10 is a great way to reduce both energy consumption and maintenance. Available in warm and cool white colour temperatures and with a standard beam angle and high lumens, it is ideal for use in traditional GU10 downlights and spotlights. Rated 25,000 hours, the 6.3W LED GU10 will last 10 times longer than 50W halogen equivalents.

RANGE SUMMARY

GE LED GU10 BULB 6.3W 3000K WARM WHITE 60DEG 550LM SILVER 25,000HRS

GE LED GU10 BULB 6.3W 4000K COOL WHITE 60DEG 550LM SILVER 25,000HRS

SKU	G11625L	G11626L
VOLTAGE	240V	240V
WATTAGE (MAX)	6.3W	6.3W
SOCKET TYPE	GU10	GU10
BEAM ANGLE	60 degrees	60 degrees
BRIGHTNESS/ LUMENS	550	550
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	87	87
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



Dimmable LED GU10 Bulb



The dimmable 7.5W LED GU10 bulb is an ideal replacement for traditional halogen GU10 bulbs.

With improved lamp life, the GU10 is a great way to reduce both energy consumption and maintenance. Available in warm and cool white colour temperatures, with a wide beam angle, high lumens and dimming capability, it is ideal for use in traditional GU10 downlights and spotlights. Rated 25,000 hours, the 7.5W LED GU10 will last 10 times longer than 50W halogen equivalents.

RANGE SUMMARY

GE LED BULB GU10 7.5W DIM 3000K WARM WHITE 60DEG 560LM SILVER 25,000HRS

GE LED BULB GU10 7.5W DIM 4000K COOL WHITE 60DEG 560LM SILVER 25,000HRS

SKU	G11627L	G11628L
VOLTAGE	240V	240V
WATTAGE (MAX)	7.5W	7.5W
SOCKET TYPE	GU10	GU10
BEAM ANGLE	60 degrees	60 degrees
BRIGHTNESS/ LUMENS	560	560
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	75	75
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	Yes	Yes



LED MR16 Bulb



The LED MR16 bulb is an ideal replacement for traditional halogen MR16 bulbs.

With improved lamp life, the MR16 is a great way to reduce both energy consumption and maintenance. Available in warm and cool white colour temperatures and with a wide beam angle and high lumens, it is ideal for use in traditional MR16 downlights and spotlights. Rated 15,000 hours, the LED MR16 will last 7 times longer than 35W halogen equivalents.

RANGE SUMMARY

GE LED MR16 BULB 4.8W 3000K WARM WHITE 60DEG 380LM 15,000HRS

GE LED MR16 BULB 4.8W 4000K COOL WHITE 60DEG 400LM 15,000HRS

SKU	G12000L	G12001L
VOLTAGE	12V	12V
WATTAGE (MAX)	4.8W	4.8W
SOCKET TYPE	MR16	MR16
BEAM ANGLE	60 degrees	60 degrees
BRIGHTNESS/ LUMENS	380	400
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	79	83
CRI	>80	>80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED Glass MR16 Bulb



The new 5.5W LED Glass MR16 bulb is an ideal replacement for traditional halogen MR16 bulbs.

With improved lamp life, the MR16 is a great way to reduce both energy consumption and maintenance. Available in warm and cool white colour temperatures and with a wide beam angle and high lumens, it is ideal for use in traditional MR16 downlights and spotlights. Rated 15,000 hours, the LED MR16 will last 7 times longer than 35W halogen equivalents.

RANGE SUMMARY

GE LED GLASS MR16 5.5W 3000K 36D 430LM 15,000HR

GE LED GLASS MR16 5.5W 4000K 36D 460LM 15,000HR

SKU	12079L	12079L
VOLTAGE	12V AC/DC	12V AC/DC
WATTAGE (MAX)	5.5W	5.5W
SOCKET TYPE	GU 5.3	GU 5.3
BEAM ANGLE	36 degrees	36 degrees
BRIGHTNESS/ LUMENS	430	460
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	78	84
CRI	≥80	≥80
AVERAGE RATED LIFE	15,000 hours	15,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	N	N



LED MR16 Blub



The 7.3W LED MR16 bulb is an ideal replacement for traditional halogen MR16 bulbs.

With improved lamp life, the MR16 is a great way to reduce both energy consumption and maintenance. Available in warm and cool white colour temperatures and with a wide beam angle and high lumens, it is ideal for use in traditional MR16 downlights and spotlights. Rated 25,000 hours, the 7.3W LED MR16 will last 10 times longer than 50W halogen equivalents

RANGE SUMMARY

GE LED MR16 BULB 7.3W 3000K WARM WHT 60DEG 560LM SLV 25,000HRS

GE LED MR16 BULB 7.3W 4000K COOL WHT 60DEG 560LM SLV 25,000HRS

SKU	G11619L	G11620L
VOLTAGE	12V	12V
WATTAGE (MAX)	7.3W	7.3W
SOCKET TYPE	MR16	MR16
BEAM ANGLE	60 degrees	60 degrees
BRIGHTNESS/ LUMENS	560	560
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	77	77
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



Dimmable LED MR16 Bulb



The dimmable LED 7W MR16 bulb is an ideal replacement for traditional halogen MR16 bulbs.

With improved lamp life, the MR16 is a great way to reduce both energy consumption and maintenance. Available in warm and cool white colour temperatures, with a wide beam angle, high lumens and dimming capability, it is ideal for use in traditional MR16 downlights and spotlights. Rated 25,000 hours, the 7W LED MR16 will last 10 times longer than 50W halogen equivalents.

RANGE SUMMARY

GE LED MR16 BULB 7W DIM 3000K WARM WHITE 60DEG 550LM SILVER 25,000HRS

GE LED MR16 BULB 7W DIM 4000K COOL WHITE 60DEG 550LM SILVER 25,000HRS

SKU	G12002L	G12003L
VOLTAGE	12V	12V
WATTAGE (MAX)	7W	7W
SOCKET TYPE	MR16	MR16
BEAM ANGLE	60 degrees	60 degrees
BRIGHTNESS/ LUMENS	550	550
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	79	79
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	Yes	Yes



LED R50 Bulb



The LED reflector bulb is the ideal replacement for traditional incandescent reflector light bulbs.

The LED reflector bulb is available in a selection of shapes, suitable for use in different pendants and lamps. Available in warm and cool white colour temperatures, and with great light output, the bulb is suitable for most applications. Rated at 25,000 hours, the LED reflector bulb will last up to 25 times longer than incandescent equivalents.

RANGE SUMMARY

GE LED R50 BULB 6W SES 2700K WARM WHITE 450LM 25,000HRS

GE LED R50 BULB 6W SES 4000K COOL WHITE 500LM 25,000HRS

SKU	G11639L	G11640L
VOLTAGE	240V	240V
WATTAGE (MAX)	6W	6W
SOCKET TYPE	SES	SES
BEAM ANGLE	110 degrees	110 degrees
BRIGHTNESS/ LUMENS	450	500
LIGHT APPEARANCE	2700K Warm White	4000K Cool White
EFFICACY (LM/W)	75	83
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED R63 Bulb



The LED reflector bulb is the ideal replacement for traditional incandescent reflector light bulbs.

The LED reflector bulb is available in a selection of shapes, suitable for use in different pendants and lamps. Available in warm and cool white colour temperatures, and with great light output, the bulb is suitable for most applications. Rated at 25,000 hours, the LED reflector bulb will last up to 25 times longer than incandescent equivalents.

RANGE SUMMARY

GE LED R63 BULB 8W ES 2700K WARM WHITE 620LM 25,000HRS

GE LED R63 BULB 8W ES 4000K COOL WHITE 700LM 25,000HRS

SKU	G11641L	G11642L
VOLTAGE	240V	240V
WATTAGE (MAX)	8W	8W
SOCKET TYPE	ES	ES
BEAM ANGLE	110 degrees	110 degrees
BRIGHTNESS/ LUMENS	620	700
LIGHT APPEARANCE	2700K Warm White	4000K Cool White
EFFICACY (LM/W)	78	88
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED R80 Bulb



The LED reflector bulb is the ideal replacement for traditional incandescent reflector light bulbs.

The LED reflector bulb is available in a selection of shapes, suitable for use in different pendants and lamps. Available in warm and cool white colour temperatures, and with great light output, the bulb is suitable for most applications. Rated at 25,000 hours, the LED reflector bulb will last up to 25 times longer than incandescent equivalents.

RANGE SUMMARY

GE LED R80 BULB 10W ES 2700K WARM WHITE 800LM 25,000HRS

GE LED R80 BULB 10W ES 4000K COOL WHITE 890LM 25,000HRS

SKU	G11643L	G11644L
VOLTAGE	240V	240V
WATTAGE (MAX)	10W	10W
SOCKET TYPE	ES	ES
BEAM ANGLE	110 degrees	110 degrees
BRIGHTNESS/ LUMENS	800	890
LIGHT APPEARANCE	2700K Warm White	4000K Cool White
EFFICACY (LM/W)	80	89
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Bulb	Bulb
DIMMABLE	No	No



LED PAR38



The LED PAR38 bulb is an ideal replacement for traditional bulbs.

With a rated life of 25,000 hours, the LED PAR38 bulb will last up to 12 times longer than 120W incandescent equivalents.

RANGE SUMMARY

GE LED BULB PAR38 14W 3000K 36DEG 1050LM IP44 25,000HRS

SKU	G12081L
VOLTAGE	240V
WATTAGE (MAX)	14W
SOCKET TYPE	E27
BEAM ANGLE	36°
BRIGHTNESS/ LUMENS	1050
LIGHT APPEARANCE	3000K Warm White
EFFICACY (LM/W)	75
CRI	>80
AVERAGE RATED LIFE	25,000 H
WARRANTY	3 years from date of purchase
PRODUCT TYPE	Bulb
DIMMABLE	No



LED T8 Tube



*IPART APPROVAL PENDING

The 9W LED T8 tube is the perfect replacement for traditional T8 fluorescent tubes.

With high efficacy and a rated life of 36,000 hours (at L70) the 9W LED T8 tube can reduce energy consumption more effectively than traditional 18W fluorescent equivalents.

RANGE SUMMARY

GE LED TUBE T8 9W G13 6500K DAYLIGHT 900LM 36,000HRS

GE LED TUBE T8 9W G13 4000K COOL WHITE 900LM 36,000HRS

GE LED TUBE T8 9W G13 3000K WARM WHITE 810LM 36,000HRS

SKU	G12044L	G12045L	G12046L
VOLTAGE	240V	240V	240V
WATTAGE (MAX)	9W	9W	9W
SOCKET TYPE	G13	G13	G13
BEAM ANGLE	175 degrees	175 degrees	175 degrees
BRIGHTNESS/ LUMENS	900	900	810
LIGHT APPEARANCE	6500K Daylight	4000K Cool White	3000K Warm White
EFFICACY (LM/W)	100	100	90
CRI	>80	>80	>80
AVERAGE RATED LIFE	36,000 hours	36,000 hours	36,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Tube	Tube	Tube
DIMMABLE	No	No	No



LED T8 Tube



*IPART APPROVAL PENDING

The 16W LED T8 tube is the perfect replacement for traditional T8 fluorescent tubes.

With high efficacy and a rated life of 36,000 hours (at L70) the 16W LED T8 tube can reduce energy consumption more effectively than traditional 36W fluorescent equivalents.

RANGE SUMMARY	
GE LED TUBE T8 16W G13 6500K DAYLIGHT	1700LM 36,000HRS
GE LED TUBE T8 16W G13 4000K COOL WHITE	1700LM 36,000HRS
GE LED TUBE T8 16W G13 3000K WARM WHITE	1550LM 36,000HRS

SKU	G12041L	G12042L	G12043L
VOLTAGE	240V	240V	240V
WATTAGE (MAX)	16W	16W	16W
SOCKET TYPE	G13	G13	G13
BEAM ANGLE	175 degrees	175 degrees	175 degrees
BRIGHTNESS/ LUMENS	1700	1700	1550
LIGHT APPEARANCE	6500K Daylight	4000K Cool White	3000K Warm White
EFFICACY (LM/W)	106	106	97
CRI	>80	>80	>80
AVERAGE RATED LIFE	36,000 hours	36,000 hours	36,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Tube	Tube	Tube
DIMMABLE	No	No	No



LED T8 Tube



*IPART APPROVAL PENDING

The 23W LED T8 tube is the perfect replacement for traditional T8 fluorescent tubes.

With high efficacy and a rated life of 36,000 hours (at L70) the 23W LED T8 tube can reduce energy consumption more effectively than traditional 58W fluorescent equivalents.

RANGE SUMMARY

GE LED TUBE T8 23W G13 6500K DAYLIGHT 2400LM 36,000HRS

GE LED TUBE T8 23W G13 4000K COOL WHITE 2400LM 36,000HRS

GE LED TUBE T8 23W G13 3000K WARM WHITE 2200LM 36,000HRS

SKU	G12038L	G12039L	G12040L
VOLTAGE	240V	240V	240V
WATTAGE (MAX)	23W	23W	23W
SOCKET TYPE	G13	G13	G13
BEAM ANGLE	175 degrees	175 degrees	175 degrees
BRIGHTNESS/ LUMENS	2400	2400	2200
LIGHT APPEARANCE	6500K Daylight	4000K Cool White	3000K Warm White
EFFICACY (LM/W)	104	104	96
CRI	>80	>80	>80
AVERAGE RATED LIFE	36,000 hours	36,000 hours	36,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Tube	Tube	Tube
DIMMABLE	No	No	No



LED Omega Round Flush Mount



The LED Omega round flush mount light is the perfect long life, low maintenance replacement for traditional fluoro fittings.

With its instant start, full brightness & no flicker operation, the 9W LED flush mount will last up to 3 times longer than traditional fluoro flush fittings.

RANGE SUMMARY

GE LED OMEGA ROUND FLUSH MOUNT 9W 250MM 3000K 650LM IP20 25,000HRS

GE LED OMEGA ROUND FLUSH MOUNT 9W 250MM 4000K 700LM IP20 25,000HRS

SKU	G12053L	G12054L
VOLTAGE	240V	240V
WATTAGE (MAX)	9W	9W
SOCKET TYPE	N/A	N/A
BEAM ANGLE	170 degrees	170 degrees
BRIGHTNESS/ LUMENS	650	700
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	72	78
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Flush Mount	Flush Mount
DIMMABLE	No	No



LED Omega Round Flush Mount



The LED Omega round flush mount light is the perfect long life, low maintenance replacement for traditional fluoro fittings.

With its instant start, full brightness & no flicker operation, the 18W LED flush mount will last up to 3 times longer than traditional fluoro flush fittings.

RANGE SUMMARY

GE LED OMEGA ROUND FLUSH MOUNT 18W 350MM 3000K 1400LM IP20 25,000HRS

GE LED OMEGA ROUND FLUSH MOUNT 18W 350MM 4000K 1500LM IP20 25,000HRS

SKU	G12055L	G12056L
VOLTAGE	240V	240V
WATTAGE (MAX)	18W	18W
SOCKET TYPE	N/A	N/A
BEAM ANGLE	170 degrees	170 degrees
BRIGHTNESS/ LUMENS	1400	1500
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	78	83
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Flush Mount	Flush Mount
DIMMABLE	No	No



LED Drake Round Flush Mount



The LED Drake round flush mount light is the perfect long life, low maintenance replacement for traditional fluoro fittings.

A modern design with silver and clear accents, it will compliment any contemporary decor. With its instant start, full brightness & no flicker operation, the 12W LED flush mount will last up to 3 times longer than traditional fluoro flush fittings.

RANGE SUMMARY

GE LED DRAKE ROUND FLUSH MOUNT 12W 330MM 3000K 750LM IP20 25,000HRS
GE LED DRAKE ROUND FLUSH MOUNT 12W 330MM 4000K 800LM IP20 25,000HRS

SKU	G12057L	G12058L
VOLTAGE	240V	240V
WATTAGE (MAX)	12W	12W
SOCKET TYPE	N/A	N/A
BEAM ANGLE	170 degrees	170 degrees
BRIGHTNESS/ LUMENS	750	800
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	63	67
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Flush Mount	Flush Mount
DIMMABLE	No	No



LED Drake Square Flush Mount



The LED Drake square flush mount light is the perfect long life, low maintenance replacement for traditional fluoro fittings.

A modern design with silver and clear accents, it will compliment any contemporary decor. With its instant start, full brightness & no flicker operation, the 12W LED flush mount will last up to 3 times longer than traditional fluoro flush fittings.

RANGE SUMMARY

GE LED DRAKE SQUARE FLUSH MOUNT 12W 335MM 3000K 820LM IP20 25,000HRS

GE LED DRAKE SQUARE FLUSH MOUNT 12W 335MM 4000K 850LM IP20 25,000HRS

SKU	G12059L	G12060L
VOLTAGE	240V	240V
WATTAGE (MAX)	12W	12W
SOCKET TYPE	N/A	N/A
BEAM ANGLE	170 degrees	170 degrees
BRIGHTNESS/ LUMENS	820	850
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	68	71
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
PRODUCT TYPE	Flush Mount	Flush Mount
DIMMABLE	No	No



LED Buddy Downlight



A modern design, the Buddy has a brightness of 700 lumens with a 110 degree beam angle.

Buddy features a flush diffuser and remote LED driver with plug and lead. With a 90mm cut out, IC-4 and IP44 ratings, the Buddy will suit most recessed applications. Rated at 25,000 hours, the Buddy will last up to 12 times longer than 35W halogen equivalents.

RANGE SUMMARY

GE BUDDY LED 8W DL 700LM DIM WH/WW IP44 WHITE 3000K

GE BUDDY LED 8W DL 700LM DIM WH/CW IP44 WHITE 4000K

SKU	G12047L	G12048L
VOLTAGE	220-240V	220-240V
WATTAGE (MAX)	8W	8W
SOCKET TYPE	Plug	Plug
BEAM ANGLE	110 degrees	110 degrees
BRIGHTNESS/ LUMENS	700	700
COLOUR FINISH	White Downlight	White Downlight
LIGHT APPEARANCE	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	88	88
CRI	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase
CUT-OUT	90mm	90mm
PRODUCT TYPE	Downlight	Downlight
DIMMABLE	Yes	Yes



LED Champ Downlight



A modern design, available in white and brushed chrome, the Champ has a brightness of 780 lumens with a 110 degree beam angle.

Champ features a die cast aluminum body, remote LED driver with plug and lead and a recessed diffuser for low glare profile. With a 90mm cut out, IC-4 and IP44 ratings, the Champ will suit most recessed applications. Rated at 25,000 hours, the Champ will last up to 12 times longer than 35W halogen equivalents.

RANGE SUMMARY

GE CHAMP LED 10W DL 780LM DIM WH/WW IP44 WHITE 3000K

GE CHAMP LED 10W DL 780LM DIM WH/CW IP44 WHITE 4000K

GE CHAMP LED 10W DL 780LM DIM BC/WW IP44 BRUSHED CHROME 3000K

GE CHAMP LED 10W DL 780LM DIM BC/CW IP44 BRUSHED CHROME 4000K

SKU	G12049L	G12050L	G12051L	G12052L
VOLTAGE	220-240V	220-240V	220-240V	220-240V
WATTAGE (MAX)	10W	10W	10W	10W
SOCKET TYPE	Plug	Plug	Plug	Plug
BEAM ANGLE	110 degrees	110 degrees	110 degrees	110 degrees
BRIGHTNESS/ LUMENS	780	780	780	780
COLOUR FINISH	White	White	Brushed Chrome	Brushed Chrome
LIGHT APPEARANCE	3000K Warm White	4000K Cool White	3000K Warm White	4000K Cool White
EFFICACY (LM/W)	78	78	78	78
CRI	>80	>80	>80	>80
AVERAGE RATED LIFE	25,000 hours	25,000 hours	25,000 hours	25,000 hours
WARRANTY	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase	3 years from date of purchase
CUT-OUT	90mm	90mm	90mm	90mm
PRODUCT TYPE	Downlight	Downlight	Downlight	Downlight
DIMMABLE	Yes	Yes	Yes	Yes

MASSON

F O R L I G H T

514 Bridge Rd, Richmond VIC 3121

P: (03) 9009 9657

E: www.massonforlight.com.au

GE is a trademark of General Electric Company and is under license by Light Source Solutions and
Light Source Solutions New Zealand Ltd of 140 Fulton Drive Derrimut Vic 3030 Australia.